#### **Families**

This checklist is organized by families; birds, under the same heading are closely related.

#### Seasons

Birds on this list may be year-round residents, summer residents, winter residents, or seasonal migrants. Birds follow their own calendar. A "summer" bird might arrive in spring and stay until fall. Likewise a "winter" bird will probably arrive in late fall and stay until spring. A "■" indicates the time of year you are most likely to see a particular bird. An "x" indicates you *might* see the bird during the indicated season, but such a sighting would be rare.

#### **Nests**

A "\sqrt{n}" indicates that a bird nests at Devil's Lake. These records are not complete. If you are an experienced birder and have witnessed a bird nesting here, please let us know.

#### Abundance

**Likely to see** - You are likely to see these birds if you visit at the right time of day in the right season and look in the right habitat.

**Lucky to see** – Consider yourself lucky if you see these birds! Be sure to visit the right habitat/s at the right time of day and season.

**Unlikely to see** – Sightings of these birds at Devil's Lake are rare. Some birds have been recorded only a handful of time in the past few years.

#### Habitat

The letter codes indicate the areas where you are most likely to find different birds. Of course, many birds prefer the places where two habitats meet.


- W Watery places like ponds, wetlands, and creeks.
- **G** Open grassland or areas where there is more grass than there are woody plants.
- T Wooded areas or areas with an abundance of trees and shrubs.
  - E Wisconsin Endangered Species
  - T Wisconsin Threatened Species
  - Wisconsin Species of Greatest Conservative Need
  - NN Wisconsin Non-Native Species



Bureau of Parks and Recreation Department of Natural Resources S5975 Park Rd. Baraboo, WI 53913 (608) 356-8301

PUB-PR-1504 2014

# Bird Checklist



## Devil's Lake State Park

Observer
Date
Time
Meather

	1	I	Τ				Ι	I
			=		ee	ee	Julikely to see	
	mer	le le	g/Fa	S	Likely to see	Lucky to see	ely to	tat
	Summer	Winter	Spring/Fall	Nests	Likel	Luck	Sil	Habitaí
Loons and Grebes		L	<u> </u>					
□ Red-throated Loon	1		T.,	I	1			w
☐ Common Loon	<b>-</b>	×	X			100		W
☐ Pied-billed Grebe		х					8	W
☐ Horned Grebe • ☐ Red-necked Grebe (E) •		X	X					W
☐ Eared Grebe	<del>                                     </del>	X	X					W
Cormorants and Pel	ica	ns	ı		•			
☐ American White Pelican			X					w
☐ Double-crested Cormorant			х					W
Bittern and Heron								
☐ American Bittern •	x		х					w
☐ Great Blue Heron	20		醿	<b>√</b>				W T
☐ Great Egret (T) *	х		х			100		W
☐ Green Heron				<b>√</b>	翼			W
Swans, Geese, and D	)UC	ks		·				
☐ Tundra Swan ☐ Trumpeter Swan •		X	Х					w
☐ Mute Swan		X	Х					w
☐ Snow Goose		^	х				1001	w
☐ Canada Goose				<b>√</b>				W G
☐ Wood Duck		х	额	✓				W
☐ Green-winged Teal		х	х				2	W
☐ American Black Duck•	2000	Х	X	$\overline{}$	- Paren			W
☐ Northern Pintail		Х	X	Ľ		<b>100</b>		w
☐ Blue-winged Teal •				<b>V</b>				w
☐ Northern Shoveler								W
☐ Gadwall ☐ American Wigeon			X	H				W
☐ Canvasback +			X					W
☐ Redhead ◆			х					w
☐ Ring-necked Duck								W
☐ Greater Scaup ☐ Lesser Scaup •								w
☐ Long-tailed Duck			X					W
☐ Common Goldeneye			х					w
☐ Bufflehead								W
☐ Hooded Merganser ☐ Common Merganser								w
☐ Red-breasted Merganser								W
☐ Ruddy Duck			П					w
New World Vultures								
☐ Turkey Vulture			圝	✓				T G
Hawks, Eagles, and A	۹lli	es				1		
☐ Osprey (T) •				✓	1	T		w
☐ Northern Harrier +							12	W G
☐ Sharp-shinned Hawk						$\Box$	$\Box$	Т
☐ Coopers Hawk ☐ Northern Goshawk +								T
☐ Red-shouldered Hawk (T) •		X	X	-	-			<u> </u>
☐ Broad-winged Hawk								Т
☐ Red-tailed Hawk				✓				G T
☐ Rough-legged Hawk					[	[		G W
☐ Bald Eagle •				<b>✓</b>				T G
☐ Golden Eagle		x	х					T

Finches and Allies  Purple Finch House Finch Red Crossbill Common Redpoll Pine Siskin American Goldfinch Snow Bunting  Old World Sparrows House Sparrow (NN)  Purple Finch Tomography Tomog	☐ Purple Finch ☐ House Finch ☐ Red Crossbill ☐ White-winged Crossbill ☐ Common Redpoll ☐ Pine Siskin ☐ American Goldfinch ☐ Snow Bunting ☐ United Sparrows ☐ House Sparrow (NN) ☐ Interpretation of the property of the prope	Summer	Winter	Spring/Fall	Nests	Likely to see	Lucky to see	Unlikely to see	Habitat
□ House Finch □ Red Crossbill □ White-winged Crossbill □ Common Redpoll □ Pine Siskin □ American Goldfinch □ Snow Bunting □ Old World Sparrows □ House Sparrow (NN) □ M	House Finch Red Crossbill White-winged Crossbill Common Redpoll Pine Siskin American Goldfinch Snow Bunting  Old World Sparrows House Sparrow (NN)								
□ Red Crossbill	Red Crossbill								Т
□ White-winged Crossbill x □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	White-winged Crossbill Common Redpoll Pine Siskin American Goldfinch Snow Bunting  Old World Sparrows House Sparrow (NN)				✓				T
□ Common Redpoll □ Pine Siskin □ American Goldfinch □ Snow Bunting □ Old World Sparrows □ House Sparrow (NN) □ Sommon Redpoll □ T □ T □ T □ T □ T □ T □ T □ T □ T □ T	Common Redpoll Pine Siskin American Goldfinch Snow Bunting  Old World Sparrows House Sparrow (NN)  TG G		Х	х				8	Т
☐ Pine Siskin ☐ American Goldfinch ☐ Snow Bunting ☐ V	☐ Pine Siskin ☐ ☐ ☐ ✓ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐								<u> </u>
□ American Goldfinch □ Snow Bunting □ Cld World Sparrows □ House Sparrow (NN) □ Solution	American Goldfinch Snow Bunting  Old World Sparrows House Sparrow (NN)  TG G G T			_					
☐ Snow Bunting	Snow Bunting x	_	-		<b>V</b>	$\vdash$	_		
Old World Sparrows  House Sparrow (NN)	Old World Sparrows  House Sparrow (NN)		_		<b>V</b>				G
□ House Sparrow (NN)	□ House Sparrow (NN)		Х						G
					$\checkmark$	2			T
Notes	NOTES								

E - Wisconsin Endangered Species

T – Wisconsin Threatened Species

 Wisconsin Species of Greatest Conservative Need

NN - Wisconsin Non-Native Species

### **Record Keeping**

All visitors are invited to stop by the Nature Center and share your sightings. Experienced birders are encouraged to submit field records.

	T	Т	Т				·	1
		-			je je	e e	Unlikely to see	
	ē	١.	/Fall		to se	to se	√ to	1
	Summer	Winter	Spring/Fal	Nests	Likely to see	ucky to see	like	Habitat
			Ş	ž		ı	Š	ľ
Wood-Warblers (co	nt.)	)						
☐ Blackpoll Warbler					160			T
☐ Cerulean Warbler (T) * ☐ Black-and-white Warbler				<b>✓</b>				T
☐ American Redstart			<u> </u>	V				÷
☐ Prothonotary Warbler •			х			100		Т
☐ Worm-eating Warbler (E) ◆				<b>√</b>				Т
☐ Ovenbird ☐ Northern Waterthrush				$\checkmark$				T
☐ Louisiana Waterthrush •				$\overline{}$				W
☐ Kentucky Warbler (T) *			- Mai	V				W T
☐ Connecticut Warbler •	_							Ť
☐ Mourning Warbler	Ш							Т
☐ Common Yellowthroat			88	✓				W
☐ Hooded Warbler (T) * ☐ Wilson's Warbler								T
☐ Canada Warbler +	<del> </del>		555				_	+
☐ Yellow-breasted Chat			х					Т
Tanagers								
☐ Scarlet Tanager	8			V				Т
☐ Western Tanager			х			2		G
Sparrows and Allies								
☐ Eastern Towhee				1	<b>2</b>			Т
☐ American Tree Sparrow								G
☐ Chipping Sparrow				✓				T G
☐ Clay-colored Sparrow			×					G
☐ Field Sparrow ◆ ☐ Vesper Sparrow ◆				<b>√</b>			_	G G
☐ Savannah Sparrow				Ministra			_	G
☐ Grasshopper Sparrow +	х		х	70000			_	G
☐ Henslow's Sparrow (T) ◆	х		х					G
☐ Fox Sparrow								T
☐ Song Sparrow ☐ Lincoln's Sparrow		<b>3</b>		<b>√</b>		Desta	-	Т
☐ Swamp Sparrow	X							T W
☐ White-throated Sparrow					<b>1</b>			Т
☐ White-crowned Sparrow			10					Т
☐ Harris' Sparrow		_						T G
☐ Dark-eyed (Northern) Junco☐ Lapland Longspur								T
***************************************		Х	I				1	G
Cardinals and Allies			8	. 11			- n	
☐ Northern Cardinal ☐ Rose-breasted Grosbeak				<b>✓</b>				T T
☐ Pine Grosbeak		x		-	220			, T
☐ Evening Grosbeak								Т
☐ Indigo Bunting				✓				Т
☐ Dickcissel +	X		2000	e de la constitución de la const			***************************************	G
Blackbirds								
☐ Bobolink +		$\dashv$		<b>V</b>	_			G W
☐ Red-winged Blackbird		$\dashv$		<b>∠</b>	2	$\dashv$		G
☐ Eastern Meadowlark ◆ ☐ Rusty Blackbird ◆				<b>'</b>			and an area	Т
☐ Common Grackle			X	<b>✓</b>			- Application of the second	W
☐ Brown-headed Cowbird				<u></u>		-+		G T
☐ Orchard Oriole				<b>√</b>				G T
☐ Baltimore (Northern) Oriole				<b>√</b>			- Il	Т

	Summer	Winter	Spring/Fall	Nests	Likely to see	Lucky to see	Unlikely to see	Habitat
Falcons								
☐ American Kestrel		T				T		T
□ Merlin	$\vdash$	<del> </del>	×				_	G
☐ Gyrfalcon	<u> </u>	×						Т
☐ Peregrine Falcon (E) +				<b>√</b>				T G
Rails and Coots						1		
☐ Virginia Rail	1		х		_			w
☐ Sora								w
☐ American Coot					壓			W
Partridges, Grouse,	Τυι	rke	eys	, ai	nd	Q	uai	
☐ Ring-necked Pheasant (NN)		<b>8</b>					鏖	T G
☐ Ruffed Grouse		<b>E</b>		V				G T
☐ Wild Turkey				<b>V</b>				T G
☐ Northern Bobwhite •		200						G
Cranes								
☐ Sandhill Crane				✓				G W
Plovers								
☐ Killdeer				1				W
Sandpipers, Phalaro	200		\	1 V	llic			G
☐ American Avocet	pe:	S, C			IIIC	= 5		100
☐ Greater Yellowlegs			X			100		w
☐ Lesser Yellowlegs							В	w
☐ Solitary Sandpiper +			×					W
☐ Spotted Sandpiper ☐ Semipalmated Sandpiper			×	<b>√</b>			_	w
☐ Pectoral Sandpiper			×	III				w
Dunlin •			х			ш		W
☐ Short-billed Dowitcher☐ Wilson's Snipe			X					W
☐ American Woodcock •				·				w
Gulls and Terns						,		
☐ Franklin's Gull			х					w
☐ Bonaparte's Gull					鑩			w
☐ Ring-billed Gull					<b>20</b>			W
☐ Herring Gull ☐ Glaucous Gull			X					w
☐ Caspian Tern (E) •			x					w
□ Common Tern (E) •			х					w
☐ Forster's Tern (E) •			X				1	W
Pigeons and Doves								
☐ Rock Dove				<u> </u>				T
☐ Mourning Dove		蒙		<b>V</b>				Ť
Cuckoos			***********					
☐ Black-billed Cuckoo +		$\dashv$		<b>V</b>		$\Box$		T
☐ Yellow-billed Cuckoo +		-		<b>'</b>			- International	Т
Owls				ALCOHOLD IN THE PARTY OF THE PA				
☐ Barn Owl • ☐ Eastern Screech Owl	<b>S</b>	X	1	<b>√</b>		8		T T
☐ Great Horned Owl				V		-		T
☐ Barred Owl	<b>M</b>			<b>✓</b>		$\neg$	THE REAL PROPERTY.	T W
☐ Great Grey Owl		x		Section 1				Т
☐ Snowy Owl ☐ Long-eared Owl		X		THE CASE AND A	$\dashv$			G T
☐ Short-eared Owl •		-	×	- CONTROL OF THE PERSON NAMED IN COLUMN	-	-		G
☐ Northern Saw-whet Owl								T

	<b>—</b>	Τ-	Т	1	I	Т	Т	
	Summer	Winter	Spring/Fall	Nests	Likely to see	Lucky to see	Unlikely to see	Habitat
Goatsuckers		J	.L		in the second	<u> </u>	L	
☐ Common Nighthawk				<b>/</b>				G
☐ Whip-poor-will +			╁	<b>V</b>				T
Swifts	<u> </u>	-1			.=			8
☐ Chimney Swifts							Γ	G
	100	1	1	<u> </u>	1 ===	1	<u></u>	
Hummingbirds  Ruby-throated Hummingbird	Sin	,	7		E		т —	H _
		<u>L</u>	<u></u>			<u></u>	L	Т
Kingfishers	7		,				т	*
☐ Belted Kingfisher		<u></u>		✓		Ĺ		W
Woodpeckers and A	llie	es:						
☐ Red-headed Woodpecker +				<b>√</b>				Т
☐ Red-bellied Woodpecker				<b>_</b>				T
☐ Downy Woodpecker ☐ Hairy Woodpecker				<u> </u>		<del> </del>		T
☐ Pileated Woodpecker				·				Ť
☐ Yellow-bellied Sapsucker	E E			<b>√</b>				Т
☐ Northern Flicker				✓				T G
Tyrant Flycatchers								
☐ Olive-sided Flycatcher •	х	Ϊ	x					Т
☐ Eastern Wood-Pewee				<b>√</b>				Т
☐ Yellow-bellied Flycatcher	х		х					T W
☐ Arcadian Flycatcher (T) •				✓				ŤW
☐ Alder Flycatcher	х		х					w
☐ Willow Flycatcher •	X		X					W
☐ Least Flycatcher • ☐ Eastern Phoebe				<b>√</b>				G
☐ Great-crested Flycatcher				_				T T
☐ Eastern Kingbird			 E	~				T G
Shrikes, Larks, and F	Pini	tc		LJ	g			
□ Northern Shrike	ıμ		999				men .	Т
☐ Horned Lark			X		-	-		G G
☐ American Pipit		×	^					G
Vireos								W
								_
☐ White-eyed Vireo ☐ Bell's Vireo (T) +			X					T
☐ Blue-headed (solitary) Vireo						_		Ť
☐ Yellow-throated Vireo				✓				Т
☐ Warbling Vireo				✓				T W
☐ Philadelphia Vireo			×	<b>√</b>	_			T
☐ Red-eyed Vireo				·			_	Т
Jays and Crows								
☐ Blue Jay								T
☐ American Crow ☐ Common Raven						2728		G
Li Continon Raven		×	The state of the s					T
Constlance								
Swallows	-1		х				a de Constitución de Constituc	W G
☐ Purple Martin	х			- / 8	2			W
☐ Purple Martin☐ Tree Swallow	×			<u> </u>				
☐ Purple Martin ☐ Tree Swallow ☐ Northern Rough-winged				✓			100	w
□ Purple Martin □ Tree Swallow							8	w
<ul> <li>□ Purple Martin</li> <li>□ Tree Swallow</li> <li>□ Northern Rough-winged Swallow</li> <li>□ Bank Swallow</li> </ul>	B		_		<b>E</b>			w
<ul><li>☐ Purple Martin</li><li>☐ Tree Swallow</li><li>☐ Northern Rough-winged Swallow</li></ul>	×		X					w
☐ Purple Martin ☐ Tree Swallow ☐ Northern Rough-winged Swallow ☐ Bank Swallow ☐ Cliff Swallow ☐ Barn Swallow	X	2	X		-			w w
<ul> <li>□ Purple Martin</li> <li>□ Tree Swallow</li> <li>□ Northern Rough-winged Swallow</li> <li>□ Bank Swallow</li> <li>□ Cliff Swallow</li> </ul>	X	5	X		-			w w

Summer Winter Spring/Fall Nests Likely to see Lucky to see	>	
	Unlikely to see	Habitat
Nuthatches		
☐ Red-breasted Nuthatch		Т
☐ White-breasted Nuthatch	NO CONTRACTOR OF THE PERSON OF	Т
Creepers	-	_
☐ Brown Creeper ■ ■ ✓ ■	2000	Т
Wrens  □ Carolina Wren	-	_
☐ Carolina Wren		T
☐ House Wren	and the same	T
☐ Winter Wren	Spinconnide	T W
☐ Sedge Wren		ΒS
☐ Marsh Wren		⊗ G
Kinglets		
☐ Golden-crown Kinglet		Т
☐ Ruby-crown Kinglet		T
Gnatcatcher		
☐ Blue-gray Gnatcatcher		T
Thrushes		
☐ Eastern Bluebird	-	T G T
☐ Townsend's Solitaire		C
☐ Veery • ■ ✓ ■ ✓ □ ☐ Gray-checked Thrush		T
☐ Swainson's Thrush		Ť
☐ Hermit Thrush	_	Т
□ Wood Thrush • ■ ■ ✓ ■ □ ✓ ■ □ American Robin ■ x ■ ✓ ■		T T
☐ Varied Thrush		G T
Mockingbirds and Thrashers	11	
☐ Gray Catbird ■ ■ ✓ ■		Т
☐ Northern Mockingbird x ■		Т
☐ Brown Thrasher • ■ ✓ ■	SS TOP ST	Т
Starlings		
☐ European Starling (NN)		T G
Waxwings		calmountains
☐ Bohemian Waxwings	Washington and the same of the	T
☐ Cedar Waxwings		Т
Wood-Warblers		The second second
☐ Blue-winged Warbler • ■ ✓ ■		Т
☐ Golden-winged Warbler • ☐ ☐ ✓ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐		T T
☐ Orange-crowned Warbler		Т
☐ Nashville Warbler ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■		Τ
☐ Northern Parula Warbler ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐		T T
☐ Chestnut-sided Warbler		T
☐ Magnolia Warbler ■ ■ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	_	T
		T T
☐ Yellow-rumped Warbler		Т
☐ Black-throated Green Warbler • ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■		T
☐ Yellow-throated Warbler (E) ◆ X ■		T T
☐ Pine Warbler	-	Т
☐ Prairie Warbler x I I I I I I I I I I I I I I I I I I		T T
☐ Bay-breasted Warbler		T I